

Front End Loader (FEL)



Front End Loader (FEL)



Features

Our unique FEL system is ideal for larger waste producers. The FEL has **replaced many compacting systems** throughout a variety of industries.

This product is available in both a **4 cubic yd** and **8 cubic yd**.

Some advantages of the FEL:

- **Reduction in wind scatter** when emptying, as the lids create a chute for the waste to fall through
- **No need for electricity**
- The side hinged design allows **simple safe operation** by user
- The lids are **easier to open** than the conventional top hinged type
- The lids are **easier to secure** in the open position and also come with a lock system for more security
- Combined with the top lid, full aperture discharge is achieved alleviating the problem of waste 'sticking' and the requirement to shake the container
- The FEL is also **fully moveable** with the use of a fork lift



Side Hinged Double skinned Duraflex plastic lids are lockable



All section joints mitred and fully welded

Under floor fork pockets for movement by fork lift truck


Meiller drop forged lifting lugs with 6mm backing plates

Front End Loader (FEL)



Specifications

FEL Type	Wmm	D mm	H mm	Lid Lock	Forklift Compatible
4 Cubic Yard	2090	1510	1700	✓	✓
8 Cubic Yard	2040	2200	1900	✓	✓



4 Cubic Yard



8 Cubic Yard